## **AMENDMENTS TO THE CLAIMS**

Please amend claims 7, 11, 12, and 99.

This listing of claims will replace all prior versions and listings of claims in the Application.

## **Listing of Claims:**

- 1. (Cancelled)
- 2. (Previously Presented) An isolated polynucleotide that encodes a polypeptide comprising an amino acid sequence set forth in SEQ ID NO:2.
  - 3. (Cancelled)
- 4. (Previously Presented) An expression vector comprising a polynucleotide according to claim 2.
- 5. (Original) A host cell transformed or transfected with an expression vector according to claim 4.
  - 6. (Cancelled)
- 7. (Currently Amended) AAn isolated polynucleotide comprising the sequence set forth in SEQ ID NO:1.
- 8. (Previously Presented) An expression vector comprising a polynucleotide according to any one of claims 7, 99, and 100.

- 9. (Original) A host cell transformed or transfected with an expression vector according to claim 8.
- 10. (Previously Presented) An antisense polynucleotide comprising a polynucleotide that is complementary to a polynucleotide according to any one of claims 2, 7, 99, and 100.
- 11. (Currently Amended) An isolated polynucleotide that detectably hybridizes to the complement of the sequence recited in SEQ ID NO:1 under moderately stringent conditions that include a wash in 0.1X SSC and 0.1% SDS at 60 °C for 15 minutes, wherein the isolated polynucleotide exhibits at least 90% nucleotide identity to a polynucleotide comprising the sequence set forth in SEQ ID NO:1, and wherein the isolated polynucleotide encodes a polypeptide capable of dephosphorylating an activated mitogen-activated protein kinase (MAP-kinase), said polypeptide comprising the peptide sequence CLVHCKMGVSRSASTVIAYAM (SEQ ID NO:3).
- 12. (Currently Amended) An expression vector comprising a polynucleotide according to elaim 10 or claim 11.
- 13. (Original) A host cell transformed or transfected with an expression vector according to claim 12.
- 14. (Previously Presented) A method of producing a dual specificity phosphatase 12 (DSP-12) polypeptide, comprising the steps of:
- (a) culturing a host cell according to claim 9 under conditions that permit expression of the DSP-12 polypeptide; and
  - (b) isolating DSP-12 polypeptide from the host cell culture.

15.-98. (Cancelled)

Application No. 09/775,925 Reply to Office Action mailed November 26, 2003

99. (Currently Amended) An isolated polynucleotide that encodes a polypeptide capable of dephosphorylating an activated mitogen-activated protein kinase (MAP-kinase), said polynucleotide comprising a sequence that encodes the peptide sequence CLVHCKMGVSRSASTVIAYAM (SEQ ID NO:3) and that is at least 90% identical to a polynucleotide that encodes a polypeptide comprising an amino acid sequence set forth in SEQ ID NO:2.

100. (Previously Presented) An isolated polynucleotide that encodes a polypeptide capable of dephosphorylating an activated mitogen-activated protein kinase (MAP-kinase), said polypeptide comprising an amino acid sequence of SEQ ID NO:2, wherein aspartic acid is located at position 222 and the peptide sequence CLVHCKMGVSRSASTVIAYAM (SEQ ID NO:3) is located at positions 249 through 269 of SEQ ID NO:2, wherein said polynucleotide comprises a sequence at least 90% identical to a polynucleotide that encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2.